

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| L7 | 0 | TW20030118398 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 20:08 |
| L8 | 1 | "92118398" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 20:09 |
| L9 | 1 | ("6845383").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/12/15 20:10 |
| L10 | 0 | ("92118398").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/12/15 20:12 |
| L11 | 0 | "092118398" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 20:13 |
| L12 | 1 | "92118398" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 20:13 |
| S1 | 1 | ("20010042171").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/12/15 14:06 |
| S2 | 1 | ("20090119359").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/12/15 14:11 |
| S3 | 0 | ((thin-client or thin client) near7 (proxy cache)) same (remote server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 14:22 |
| S4 | 0 | ((thin-client or thin client) near20 (proxy (cache or server))) same (remote server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 14:23 |

| | | | | | | |
|-----|-----|---|---|-----|-----|---------------------|
| S5 | 123 | ((thin-client or thin client) near20 (proxy (cache or server))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 14:23 |
| S6 | 1 | ("5734853").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/12/15 15:05 |
| S7 | 65 | ((thin-client or thin client) near20 (proxy)) same request | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:09 |
| S8 | 23 | ((thin-client or thin client) near20 (proxy)) same secur\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:10 |
| S9 | 229 | ((thin-client or thin client) near20 (proxy)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:11 |
| S10 | 100 | ((remote desktop or rdp or citrix) near20 (proxy)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:19 |
| S11 | 174 | citrix.as. and proxy | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:19 |
| S12 | 45 | citrix.as. and proxy.ab. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:19 |
| S13 | 23 | ((thin-client) near12 (user interface or gui)) and proxy | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:23 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S14 | 183 | ((thin client) near12 (user interface or gui)) and proxy | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:27 |
| S15 | 0 | ((skinny client) near20 (proxy)) same request | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:29 |
| S16 | 0 | ((tiny client) near20 (proxy)) same request | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:29 |
| S17 | 40 | ((tiny client) near20 (proxy)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:29 |
| S18 | 47 | ((skinny client) near20 (proxy)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:30 |
| S19 | 164 | ((thin-client or thin client) near20 (cache or intermediary or intermediate or mediat \$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:31 |
| S20 | 0 | (thin-client or thin client) same (((intercept\$3 or captur\$3) near3 request) near12 ((foward\$3 or transfer\$4 or transmit\$4 or send\$3) adj5(server))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:38 |
| S21 | 4 | ((thin-client or thin client) same (((intercept\$3 or captur\$3 or foward\$3) near3 request) near12 server)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:39 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S22 | 7 | (thin-client or thin client) same ((intercept\$3 or captur\$3 or foward\$3) near3 request) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:40 |
| S23 | 2 | (Calvin near Phil).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:41 |
| S24 | 134 | citrix.as. and (thin-client or thin client) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:43 |
| S25 | 13 | thinclient | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:43 |
| S26 | 847 | (gui or user interface) near5 proxy | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:44 |
| S27 | 0 | ((gui or user interface) near5 proxy) same (storage server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:44 |
| S28 | 3 | ((gui or user interface) near5 proxy) same (remote server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:44 |
| S29 | 347 | ((gui or user interface) near5 proxy) same (server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:45 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S30 | 64 | ((gui or user interface) near5 proxy) near12 request) same (server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:45 |
| S31 | 183 | ((storage or proxy or intermediate or host\$3) server) near20 (thin-client or thin client) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:50 |
| S32 | 224 | (gui or user interface) near12 (remote\$2 near2 storage) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 15:55 |
| S33 | 162 | (thin-client or thin client) near7 (proxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:01 |
| S34 | 18 | ((thin-client or thin client) near7 (proxy)) same stor \$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:01 |
| S35 | 17 | ((thin-client or thin client) near7 (proxy)) same request | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:03 |
| S36 | 0 | ((icx) near20 (proxy)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:12 |
| S37 | 83 | (proxy server).ab. and (thin client or thin-client) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:15 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S38 | 397 | ((proxy server) near5 ((execut\$3 or run\$4 or host\$3) near2 (application or programs))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:20 |
| S39 | 16 | ((proxy server) near5 ((execut\$3 or run\$4 or host\$3) near2 (application or programs))) same (gui or user interface) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:23 |
| S40 | 11 | ((proxy server) near5 ((execut\$3 or run\$4 or host\$3) near2 (application or programs))) same ((storage or remote) server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:26 |
| S41 | 31 | ((proxy server) near5 ((execut\$3 or run\$4 or host\$3) near2 (application or programs))) same ((storage or remote or content or database) server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:26 |
| S42 | 3 | (remote desktop or rdp or citrix or ica) near20 (storage server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:29 |
| S43 | 0 | proxy near15 sstorage manager | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:30 |
| S44 | 15 | proxy near15 storage manager | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:30 |
| S45 | 2 | (thin-client or thin client) near20 (storage manager) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:32 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S46 | 1 | (thin-client or thin client) near20 (content manager) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:33 |
| S47 | 205 | (thin-client or thin client) near20 (manager) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:34 |
| S48 | 25 | ((thin-client or thin client) near20 (manager)) same stor\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:34 |
| S49 | 267 | ((thin-client or thin client) near20 (gui or user interface)) same stor\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:36 |
| S50 | 15 | ((thin-client or thin client) near20 (gui or user interface)) same (stor\$3 near12 remote\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:37 |
| S51 | 1168 | ((thin-client or thin client) same (application server)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:48 |
| S52 | 186 | ((thin-client or thin client) same (application server)) same (gui or user interface) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 16:48 |
| S53 | 16 | (proxy near2 (application server)) same (gui or user interface) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 17:13 |

| | | | | | | |
|-----|-------|--|---|-----|----|---------------------|
| S54 | 795 | (proxy near2 (application server)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 17:18 |
| S55 | 2 | (proxy near2 (application server)) same (storage server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 17:18 |
| S56 | 23 | ((proxy near2 (run\$4 or execut\$4)) near2 (application server)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 17:19 |
| S57 | 14 | ((proxy server) near9 (gui or user interface)) same storage | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 17:23 |
| S58 | 79 | (gui or user interface) near15 storage manager | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 17:27 |
| S59 | 27 | ((proxy server) near20 (gui or user interface)) same storage | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 17:27 |
| S60 | 76161 | ((proxy near12 gui or user interface)) same storage | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 17:30 |
| S61 | 122 | (proxy near12 (gui or user interface)) same storage | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 17:30 |

| | | | | | | |
|-----|----|---|---|-----|-----|---------------------|
| S62 | 11 | US-20065790446-\$.DID. OR US-5860073-\$.DID. OR US-5870559-\$.DID. OR US-5958008-\$.DID. OR US-6144962-\$.DID. OR US-6199082-\$.DID. OR US-6230173-\$.DID. OR US-6237006-\$.DID. OR US-6341310-\$.DID. OR US-6470383-\$.DID. OR US-6584480-\$.DID. OR US-4640213-\$.DID. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/12/15 17:48 |
| S63 | 27 | (proxy near2 (application server)) near15 remote\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 17:57 |
| S64 | 2 | ((proxy server) near9 ((run \$4 or exeuct\$3 or provid \$3) near2 (user interface or gui))) same request | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:03 |
| S65 | 7 | ((("5935207") or ("20020162020") or ("6144996") or ("20030005080") or ("20020184403") or ("5642515") or ("20030050974")).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/12/15 18:06 |
| S66 | 1 | ((remote\$2 access\$3) near12 (gui or user interface)) same storage server | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:09 |
| S67 | 99 | ((remote\$2 access\$3) near12 storage) same (gui or user interface) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:09 |
| S68 | 0 | ((remote\$2 access\$3) near12 proxy cache) same (gui or user interface) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:11 |

| | | | | | | |
|-----|-------|--|---|-----|----|---------------------|
| S69 | 0 | ((remote\$2 near2 access \$3) near12 proxy cache) same (gui or user interface) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:11 |
| S70 | 0 | ((remote\$2 near2 access \$3) near12 proxy server) same (gui or user interface) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:11 |
| S71 | 22 | ((remote\$2 near2 access \$3) near20 application server) same (gui or user interface) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:11 |
| S72 | 3 | ((remote\$2 near2 access \$3) near12 proxy cache) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:13 |
| S73 | 6 | (remote application) same ((access\$3 or retriev\$3 or download\$3 or pull\$3) adj5 ((storage or content or database) server)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:16 |
| S74 | 53 | (remote application server) same (gui or user interface) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:17 |
| S75 | 63 | (remote application server) and (thin client or thin-client) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:20 |
| S76 | 10741 | sbc | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:21 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S77 | 27 | (sbc near12 proxy server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:21 |
| S78 | 0 | (sbc near12 proxy cache) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:24 |
| S79 | 5 | (server based computing near12 proxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:24 |
| S80 | 107 | ((server based computing or sbc) near20 proxy) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:32 |
| S81 | 45 | ((server based computing) near12 (gui or user interface)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:35 |
| S82 | 0 | ((server based computing) near12 (intermed\$4)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/12/15 18:37 |

EAST Search History (I nterference)

< This search history is empty >

12/ 15/ 2010 8:22:22 PM**C:\ Documents and Settings\ jwillis\ My Documents\ EAST\ Workspaces\ 10599402_2F.wsp**